




This layout document provides foundation details for the preferred unitary surfacing installation. Loose fill surfacing may be an option for this product. Please inquire to determine whether this is possible prior to specifying in a project.

DOCUMENT No:	200-001-185				
REVISION HISTORY					
REV	DESCRIPTION	REF. No.	DATE	DRWN BY:	RWD BY:
0	Initial Release	WO# 877	2020-11-10	CF	WM



ENGINEERING SEAL:			
CLIENT:	STOCK		
PROJECT NAME:	STOCK		
PRODUCT NO:	CPM-0053		
DRAWING TITLE:	MOUND BURROW CSA USE ZONE		
REV:	SHEET:	SHEET SIZE:	SCALE:
0	1 OF 1	PA3	NTS
DESIGNED BY:	DATE:		
DRAWN BY:	C. FUNG	DATE:	2020-11-10
CHECKED BY:	W. MCNAIR	DATE:	2020-01-12
REVIEWED BY:		DATE:	
APPROVED BY:		DATE:	

CONLUDO
IT'S HOW WE PLAY TOGETHER
Local: 613-446-0030
Toll free: 800-790-0034
Email: info@dynamoplaygrounds.com




1 FOUNDATION DETAIL PLAN VIEW


This layout document provides foundation details for the preferred unitary surfacing installation. Loose fill surfacing may be an option for this product. Please inquire to determine whether this is possible prior to specifying in a project.

GENERAL NOTES:

1. THE FOUNDATION IN THE DRAWING TO BE USED AS A MINIMUM GUIDELINE. CHECK WITH LOCAL ENGINEERS
2. THE CONCRETE SHALL BE GRADE C25 (CHARACTERISTIC STRENGTH OF 3500 PSI AT 28 DAYS) MINIMUM.
3. THE FOUNDATION SHALL BE PLACED ON FIRM, UNDISTURBED SOIL SURFACE. WHEREVER EXCAVATION OCCURS BELOW THE DESIGNED FOUNDATION LEVEL, WELL COMPACTED BACK FILL OR LEAN CONCRETE SHALL BE USED FOR LEVELING.
4. BACKFILLING FOR FOUNDATION SHALL BE PLACED EVENLY IN 6" (150mm) LAYERS. LAYERS SHALL BE WELL COMPACTED.



2 ANCHORING DETAIL VIEW



3 FOUNDATION DETAIL ELEVATION VIEW

DOCUMENT No: 200-001-332

REVISION HISTORY					
REV	DESCRIPTION	REF. No.	DATE	DRWN BY:	RWD BY:
0	Initial Release	WO# 877	2020-11-26	CF	WM

ENGINEERING SEAL:

CLIENT: STOCK
 PROJECT NAME: STOCK
 PRODUCT NO: CPM-0053

DRAWING TITLE:
**MOUND BURROW
 FOUNDATION DRAWING**

REV:	SHEET:	SHEET SIZE:	SCALE:
0	1 OF 1	PA3	NTS
DESIGNED BY:	DATE:		
DRAWN BY: C. FUNG	DATE: 2020-11-27		
CHECKED BY: W. MCNAIR	DATE: 2020-01-12		
REVIEWED BY:	DATE:		
APPROVED BY:	DATE:		



Local: 613-446-0030
 Toll free: 800-790-0034
 Email: info@dynamoplaygrounds.com