


1
- CSA USE ZONE PLAN VIEW



2
- ELEVATION VIEW

DOCUMENT No: 200-000-322

REVISION HISTORY					
REV	DESCRIPTION	REF. No.	DATE	DRWN BY:	RWD BY:
0	Initial Release		-	XX	
1	FOUNDATION SPECS REMOVED, DRAWING TITLE CHANGED	PO# 1906410 -USA-6	2021-09-21	SA	JC

ENGINEERING SEAL:

CLIENT: STOCK

PROJECT NAME: STOCK

PRODUCT NO: NP-AP011


DRAWING TITLE:
TIMBER CSA USE ZONE
DRAWING

REV:	SHEET:	SHEET SIZE:	SCALE:
1	1 OF 1	PA3	NTS

DESIGNED BY:	DATE:
DRAWN BY: S.ALKATHERI	DATE: 2021-09-21
CHECKED BY: J.CHEN	DATE: 2021-09-28
REVIEWED BY:	DATE:
APPROVED BY:	DATE:





Local: 613-446-0030
Toll free: 800-790-0034
Email: info@dynamoplaygrounds.com
Fax: 613-446-0034
URL: www.dynamoplaygrounds.com



GENERAL NOTES:

1. THE FOUNDATION IN THE DRAWING TO BE USED AS A MINIMUM GUIDELINE. CHECK WITH LOCAL ENGINEERS
2. THE CONCRETE SHALL BE CHARACTERISTIC STRENGTH OF 4000 PSI (28MPa) AT 28 DAYS WITH FIBRE REINFORCEMENT MINIMUM.
3. THE FOUNDATION SHALL BE PLACED ON FIRM, UNDISTURBED SOIL SURFACE. WHEREVER EXCAVATION OCCURS BELOW THE DESIGNED FOUNDATION LEVEL, WELL COMPACTED BACK FILL OR LEAN CONCRETE SHALL BE USED FOR LEVELING.
4. BACKFILLING FOR FOUNDATION SHALL BE PLACED EVENLY IN 6" (150mm) LAYERS. LAYERS SHALL BE WELL COMPACTED.
5. THE FOUNDATION DESIGN IS SUITABLE FOR SOIL WITH A BEARING CAPACITY OF 1600 PSF (80 KPA) AND ABOVE.



DOCUMENT No:		200-000-939			
REVISION HISTORY					
REV	DESCRIPTION	REF. No.	DATE	DRWN BY:	RWD BY:
0	INITIAL RELEASE. FOUNDATIONS SEPERATED FROM LAYOUT DRAWINGS.	PO# 6858	2019-11-05	WM	
ENGINEERING SEAL:					
CLIENT: STOCK					
PROJECT NAME: STOCK					
PRODUCT NO: NP-AP011					
DRAWING TITLE: TIMBER FOUNDATION DRAWING					
REV:	SHEET:	SHEET SIZE:	SCALE:		
0	1 OF 1	PA3	NTS		
DESIGNED BY:		DATE:			
DRAWN BY: W. MCNAIR		DATE: 2019-11-05			
CHECKED BY:		DATE:			
REVIEWED BY:		DATE:			
APPROVED BY:		DATE:			
<div><div><div>DYNAMO</div><div>PLAYGROUNDS</div></div><div></div></div> <div>Local: 613-446-0030 Toll free: 800-790-0034 Email: info@dynamoplaygrounds.com Fax: 613-446-0034 URL: www.dynamoplaygrounds.com</div>					