

PRODUCT SPECIFICATION



Product Name Cone Climber
Product Number CPM-0049

Approx. Size -- Diameter I.000 m / 3' 3 3/8" Approx. Size -- Height 2.080 m / 6' 9 7/8"

Foundations I

Concrete Volume 0.44 m³ / 15.51 ft³

ASTM F-1487 CSA Z614 EN 1176 2 years - 5 years Ages 18 months - 5 years 2 years - 8 years Capacity Use Zone -- Diameter 4.962 m / 16' 3 3/8" 4.905 m / 16' 1 1/8" 5.228 m / 17' 1 7/8" 19.34 m² / 208.2 ft² 18.90 m² / 203.4 ft² 21.47 m² / 231.1 ft² Use Zone -- Area 2.080 m / 6' 9 7/8" 2.080 m / 6' 9 7/8" 2.080 m / 6' 9 7/8" Fall Height

*Note: Concrete must be minimum 3500 PSI / 25MPa

Product Features:

MAIN BODY COMPOSITION: Designed for indoor and outdoor use; the main body of the play unit consists of a

soft rubber coating adhered to a fibreglass shell. This composition creates a safe

user experience combined with a long product life.

RUBBER COATING COMPOSITION: The rubber coating is made from Ethylene Propylene Diene Rubber (EPDM) and

Styrene Butadiene Rubber (SBR) pellets which are bound together creating a smooth unitary surface. The pellets are unified using an aliphatic polyurethane

(PU) binder.

FIBREGLASS SHELL: The hollow fibreglass shell is manufactured to be vandal-resistant and strong.

COLOURS: The vibrant colour schemes and playful graphics create an inviting addition to any

play space. The colours are made to be UV stable capable of withstanding outdoor use. Product is produced using the colours shown. Actual colours of

products and materials may appear slightly different than pictured.

INSTALLATION: The play units simple design makes installation fast and efficient.

SAFETY SURFACING: The play unit is designed to require minimal safety surfacing depth. Ensure the

TF: I-800-790-0034

T: +1-613-446-0030

W: www.dynamoplaygrounds.com

safety surfacing area is compliant with the governing playground standard.

Page I of I

Revised: Jan 19, 2023